

()

()446-913

314

(031)260-9600 http://www.gcri.co.kr

M.D

(hklee@mail.gcri.co.kr)

06 - 107

2006 06 30

1.

2.

1.

06 30

HBs Ag	Negative(< 10 COI)	· : ECLIA* · : Modular E170 · : Roche/USA ·COI: Cut off Index ·ECLIA*:	Negative(< 0.2 IU/mL)	· : CMIA** · : Architect · : Abbot/USA · S/Co: specimens with concentration value · CMIA**:
HBs Ab	Negative(< 10 IU/L)		Negative(< 10 mIU/mL)	
HBe Ag	Negative(< 1.0 COI)		Negative(S/CO < 1)	
HBe Ab	Negative(> 1.0 COI)		Negative(S/CO > 1)	
HBc Ab	Negative(> 1.0 COI)		Negative(S/CO < 1)	
HBc IgM	Negative(< 1.0 COI)		Negative(S/CO < 1)	
AIDS Ab	Negative	· : EIA	Negative	· : CMIA

· ECLIA*: Electrochemiluminescence immunoassay, CMIA**: Chemiluminescent microparticle immunoassay

2.

Bone-ALP

7 18

가

Bone-ALP	: 13.0 33.9 U/L : 9.6 35.4 U/L	(25): 15.0 41.3 U/L (Premenopausal): 11.6 29.6 U/L (Postmenopausal): 14.2 42.7 U/L	()

3.

FISH-TP53(17p13)	TP53 tumor suppressor
------------------	-----------------------

• : Heparin PB or BM 5.0 mL, / : /4 , : 07 01

4. Express test

Express test(FISH 21, culture) FISH 21

, 7 01

Express test(FISH 21, culture)	FISH 21:3 , culture:15	FISH 21: 1 Culture: 15
--------------------------------	------------------------	---

5.

Factor	1.3.5 /1	/1	가 : 07 01
Factor			
Factor			
Factor			
Factor			
Factor			
Factor			

6.

(Digital Gross & Microscopic picture system)

	Gross picture	Microscopic picture	
()	4 ()	4 ()	• : 07 01 • : • : -3 , -5 • e-mail
가	30,000	30,000	

)

CD-ROM

()